



Industrial Electronic Labeller

Create professional, durable, laminated labels for cables, faceplates and other electrical equipments for electrical and datacom installations.

- Dedicated functions to create common labels
- 200 symbols including electrical and datacom symbols
- Print on 3.5, 6, 9, 12mm TZe laminated labels



PT-E110VP and durable TZe laminated labels comply with the identification requirements of the wiring regulations.

P-touch
PT-E110VP



PT-E110VP

Create long lasting labels in various tapes colours and widths using PT-E110VP. With dedicated functions, it make common labelling tasks quick and easy. Come with a hard carrying case, PT-E110VP is an invaluable tool for electricians and other professional specialist.



Fast Print speed

20mm per second
fast print speed



Cable wrap

Identify cables quickly
with easy-to-read labels



Cable flag

Select cable diameter
to print the correct length
of label



Dedicated number keypad

Speed up the input
of numeric labels



Graphic display

Print preview
before print



Face plate

Label socket outlets,
network points and faceplates



Sequential numbering

Print labels consisting of a
sequence of numbers
or letters



200 built-in symbols

Include common electrical,
datacom, AV, security
and safety symbols

TZe laminated labels – designed to last

Brother TZe laminated tapes consist of six layers of materials, resulting in a thin yet extremely strong label. The direct thermal transfer ink is sandwiched between two protective layers of PET (polyester film) which protects the text against the effects of liquids, abrasion, temperature, chemicals and sunlight. As the labels are tested to the extreme, professional quality labels have been designed to last.



Laminated



Temperature
Resistant



Water
Resistant



Fade
Resistant



Abrasion
Resistant



Chemical
Resistant



Easy Peel

PT-E110VP Features / Specification

Hardware features

16-character Graphical LCD with real print preview
AD-24ES-01 AC Power adapter (included)
6 pcs of AAA batteries (LR03 alkaline or HR03 rechargeable Ni-MH) - (not included)
QWERTY keyboard with dedicated numeric keypad

Label printing

Print on 3.5, 6, 9, 12mm labels width
Print up to 2 lines
Maximum print height of 9mm
Maximum label length of 300mm
180dpi print resolution
20mm per second fast print speed
Manual cutter

Label design

Dedicated functions for cable wrap, cable flag, face place and sequential numbering
10 font styles, 3 character sizes and 3 character widths
200 symbols including electrical, security, audio/video and safety symbols
Add frames around labels
9 programmable memory
Automatic sequential numbering for fast printing of identification numbers
Print up to 9 copies

Dimension and Weight

111mm (W) x 58mm (D) x 204mm (H), 400g

Package content

PT-E110 Electronic Labeller
AD-24ES-01 AC Power adapter
TZe-FX221 9mm Black on White Flexible-ID tape (8m long)
Hard carrying case
User guide

Tape types supported

TZe tapes: 3.5, 6, 9, 12mm

Optional accessory

TC-4 tape cutter

brother
at your side

